




LASERJET PRO 400 SERIES


Printer

M401a/M401d/M401n/M410dn/M401dw



Worldwide Product Supply

Average Bi-Quarterly



Meet the demands of your fast-paced workday. Print from virtually anywhere with HP ePrint.¹ A 3.5-inch touchscreen loaded with business apps,² and HP Smart Install make it easy to set up and start printing. HP Auto On/Auto Off Technology saves you energy and money by turning the printer on when you need it, off when you don't.

Smart install



ePrint¹



3.5" color



touchscreen²

Auto On/Off



Web connected



with Print Apps²

2-sided printing³



Toner yield



¹ Requires an Internet connection to the printer. Feature works with any connected Internet- and email-capable device. Print times may vary. For a list of supported documents and image types, see www.hp.com/go/epcenter.

² Available on M401n and M401dw models only.

³ Available on M401d, M401n and M401dw models only.



www.hp.com

HP LaserJet 400 M401dn Supplies Status



Black Cartridge
Order 80X (CF280X)
100%#

Approximate Pages Remaining*: >5450†
Supply Level: Normal
Serial Number: 218178875-9E03
Pages Printed With This Supply*: 408
First Install Date: 20200131
Last Used Date: 20200319

Ordering Information
Hewlett-Packard supplies can be ordered on the Internet, on-line through your printer software or by calling an authorized reseller. Refer to your printer User Guide for instructions.

Return & Recycling
Please return your genuine HP supplies for recycling to Hewlett-Packard. For more information, please visit us at <http://www.hp.com/go/recycle>

* Approximate only; varies depending on types of documents printed and other factors.
† HP uses the first 20% of cartridge use to estimate pages remaining.

HP LaserJet 400 M401dn

Configuration Report

Product Information

Product Name: HP LaserJet 400 M401dn
Formatter Number: X6229FW
Serial Number: VNB3X30844
Service ID: 23142
Firmware Datecode: 20120606
Smart Install SW Version: 11/07/2011.1.0.11311.347
Location: Canada
Device Location:
Max Print Quality: ProRes 1200
Controller Number: 5
Duplexer Version: 0

Memory

Total Memory: 256MBytes
Available Memory: 187.0MBytes

Paper Settings

Default Paper Size: Letter
Default Paper Type: Plain
Tray 1 Size: Any Size
Tray 1 Type: Any Type
Tray 2 Size: Any Size
Tray 2 Type: Any Type
Paper Out Action: Wait Forever
Manual Feed: Off
Duplex: Off
Bind: Long Edge

USB Flash Drive

Print Documents

Number of Copies = 1
Paper Size = Letter
Paper Type = Plain
Collation = Off
Fit to Page = On

Print Photos

Image Size = 4 x 6 inch
Paper Size = Letter
Paper Type = Plain
Lighter/Darker = <-----*----->
Number of Copies = 1

Product Settings

Device Description: HP LaserJet 400 M401dn
Language: English
Asset Number:
Your Company Name:
Contact Person:
Product Security: Off
Quiet Print Mode: Off
HP Smart Install: Enabled
Hardware Address: 10:60:4b:15:d7:52
Host Name: NPI15D752
IPv4 Status:
Network Cable Disconnected
IPv6 Status: Network Cable Disconnected

Installed Personalities and Options

PCL6 (20040201)
AirPrint
PCL (20040201)
PDF (20040201)
PS (20040201)
DIMM Slot 1: Empty
USB Flash Drive: Empty

Print

Auto Continue: Off
Number of Copies: 1
Courier Font: Regular
Econmode: Off
Orientation: Portrait
Monochrome RET: On
Wide A4: No
Print Density: 3
Monochrome Resolution: 600
Monochrome Bits per Pixel: 2
IO Timeout: 120 Seconds
Jam Recovery: Auto
Personality: Auto
Print PS Errors: Off

HP Web Services

HP Web Services: Disabled